



Valley Filters
Shercock Road Industrial Estate,
Carrickmacross,
Co. Monaghan.
Ireland.
www.valleyfilters.com
Ph: (+353) 042-966-2365
Fx: (+353) 042-966-2512

3986767

Description: Urea Filter

Date in stock: January 2013

Main application: RENAULT TRUCKS 7420877950



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	98	mm	or	3.858	in
OD	66	mm	or	2.598	in
ID	23.1	mm	or	0.909	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.17	kg	Vol	0.891 dm ³
Length	90	Width	90	Height	110	

CROSS-REFERENCES

RENAULT TRUCKS 7420877950
RENAULT TRUCKS 7420877953
RENAULT TRUCKS 7421333098
VOLVO 20876498
VOLVO 20876502
VOLVO 21333097
MANN&HUMMEL U630XKIT
JURA FILTRATION SN70318

BOSCH 1457436002
BOSCH 1457436006
BOSCH 1457436010
HENGST E100UD160
MAHLE UX2DECO
IVECO 42555073
IVECO 42561605
Deutz 2934622

APPLICATIONS

RENAULT TRUCKS Access 270/310DXI (2011-) equipped with DXI7 engine. Kerax DXI Models (2006-) equipped with DXI 11/13 Euro 4/5 engines. Magnum AE DXI Models (2006-) equipped with DXI13 Euro 4/5 engines. Midlum II DXI Models (2006-) equipped with DXI 5/7 engines. IVECO Eurocargo II & III, Stralis Active Day/Space/Time, Stralis ES, Strator & Trakker. VOLVO TRUCKS FE II (2006-), FH (2005-), FH12, FH16, FL II (2006-), FM & FMX (2005-).

Please visit www.cumminsfiltration.com for additional applications.

Fleetguard®



AF27694

Description: Cabin Air Filter

Date in stock: January 2013

Main application: NEW HOLLAND 85801619



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	400	mm	or	15.748	in
Width	160	mm	or	6.299	in
Height	55.5	mm	or	2.185	in

PACKAGING *in mm*

Quantity per box	204	Weight	0.49	kg	Vol	5.46 dm³
Length	429	Width	170		Height	75

CROSS-REFERENCES

NEW HOLLAND 85801619
JURA FILTRATION SC70001

APPLICATIONS

NEW HOLLAND Backhoe Loaders FB Series : FB100/FB110/FB90.
NEW HOLLAND Loaders NH Series : NH75/NH85/NH95.

Fleetguard®



AF27874

Description: Air Filter, Secondary

Date in stock: January 2013

Main application: ATLAS COPCO 3222188154



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	461	mm	or	18.14	in
OD	179/173	mm	or	7.047/6.811	in
ID	147.5	mm	or	5.807	in

PACKAGING *in mm*

Quantity per box	1	Weight	1.24	kg	Vol	26.39 dm³
Length	230	Width	230		Height	499

CROSS-REFERENCES

ATLAS COPCO 3222188154
DONALDSON P785401

APPLICATIONS

ATLAS COPCO Construction Truck MT6020
ATLAS COPCO Drilling Equipments ROC D3, ROC F6, ROC F7, ROC F9, ROC L6, ROC L7 & ROC L7 CR.

Fleetguard®



HF35512

Description: Hydraulic, cartridge

Date in stock: January 2013

Main application: KOMATSU 21W6041121



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	100	mm	or	3.937	in
OD	110	mm	or	4.330	in
ID	60.5	mm	or	2.381	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.30	kg	Vol	2.36 dm ³
Length	135	Width	125	Height	140	

CROSS-REFERENCES

BALDWIN PT9420MPG
JURA FILTRATION SH60183
KOMATSU 21W6041121

Rongsun RJ9139
Wix 57001

APPLICATIONS

KOMATSU Crawler CD110R-2 equipped with SAA6D114E-2.
KOMATSU Dozers D61EX-15, D61EX-15EO & D61PX-15 equipped with SAA6D107E-1.
KOMATSU Exavators PC40MR-2, PC45MR-3, PC50MR-2 & PC55MR-3 equipped with Yanmar 4D88E; PC78MR-6, PC78US-6 & PC88MR-8 equipped with S4D95LE-3A/-2C or SAA4D95LE-5.



Catalogue corrections

January 2013

OEM	Cross Reference	Incorrect P/N	Correct P/N
TEREX	1408923	LF670	LF777
DONALDSON	P167162	HF6777	None
DONALDSON	P785394	AF26207	None
JURA FILTRATION	SN70242	FS19972	None

Applications changes :

Replacement of the LF3342 with HF35323 on all Allison Transmission Applications.



Obsolete Part Numbers

January 2013

OBSOLETE PART NUMBERS

Obsolete	Replaced by
3944440S	None
CV51118	None
FH23425	None
SP1029	None



For more information,
visit cumminsfiltration.com

MB10227
© 2013 Cummins Filtration inc.

Fleetguard®



AF27960

Description: Air Filter, Panel

Date in stock: February 2013

Main application: NISSAN 16546-00Q0G



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	360	mm	or	14.17	in
Width	263	mm	or	10.35	in
Height	60.5	mm	or	2.381	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.49	kg	Vol	5.75 dm³
Length	362	Width	265	Height	61	

CROSS-REFERENCES

COOPERS AG1726
COOPERSFIAAM PA7530
CROSLAND 8510
FRAM CA10294
JURA FILTRATION SA4078
M&H C36172
NISSAN 16546-00Q0G & 16546-00QAM

GENERAL MOTORS 93181231 & 93190266
OPEL 4417325 & 4415430
PURFLUX A1250
RENAULT 8200488878 & 8200283082
TECNOCAR A2214
UFI 3030000
Mecafilter ELP3962

APPLICATIONS

NISSAN Light Trucks Interstar 3.0DCI140 (2004-2006).
OPEL Light Truck Movano 3.0 CDTI (2004-2006).
RENAULT Light Trucks Master III 3.0DCI140 & 160 (2004-).

Fleetguard®



AF323

Description: Air Filter, Primary RS

Date in stock: February 2013

Main application: MERCEDES-BENZ 3760948204



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	434	mm	or	17.08	in
OD	270	mm	or	10.62	in
ID	147	mm	or	5.787	in

PACKAGING *in mm*

Quantity per box	1	Weight	2.29	kg	Vol	42.46 dm³
Length	299	Width	299	Height	475	

CROSS-REFERENCES

AGRALE-DEUTZ 6112101056007
DONALDSON P619046
FRAM CA9032
HENGST E1009L
IVECO 503104436 & 503120253
LUBERFINER LAF7417
MERCEDES-BENZ (A)3760948204

MANN&HUMMEL C27902
NEW HOLLAND 87636411
RACOR AR6327RS
REYTOR IT3101
VOLVO 20416958
JURA FILTRATION SA17381

APPLICATIONS

EVOBUS Busses 14t/16t/17t Serie.

IVECO Trucks 450E33T (4x2) equipped with IVECO Cursor 8 engine, EuroCargo 160E21/170E21/170E22/230E22/230E24/450E32T, Tector (2009-) 170E25,170E25T, 240E25, 240E25S, 260E25 equipped with Tector 6 engine.

MERCEDES-BENZ Trucks 16t-Serie.

NEW HOLLAND Tractors TM7000 Serie (2008-).

VOLVO Bus B7R Serie equipped with D7B/D7A engine.

Fleetguard®



AF55740

Description: Cabin Air Filter

Date in stock: February 2013

Main application: JOHN DEERE RE284091



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	610	mm	or	24.01	in
Width	103	mm	or	4.055	in
Height	86	mm	or	3.385	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.549	kg	Vol	6.174 dm³
Length	619	Width	105	Height	95	

CROSS-REFERENCES

JOHN DEERE RE284091
JURA FILTRATION SC90186
MANN&HUMMEL CU61225

APPLICATIONS

John Deere Tractors 8R-Serie (2009-) : 8245R, 8270R, 8295R, 8320R, 8345R, 8360R equipped with 6090 PowerTech Plus Tier IIIA and PowerTech PSX engines.

John Deere Tractors 8RT-Serie (2009-) : 8295RT, 8320RT, 8345RT equipped with 6090 PowerTech Plus Tier IIIA engine.



Catalogue corrections

February 2013

OEM	Cross Reference	Incorrect P/N	Correct P/N
NEW HOLLAND	84993233	FS19996	None
INTERNORMEN	01N10010VG16EP	ST2162	None
GREGOIRE	170020	HF7980	HF7835
GREGOIRE	170117	HF35294	ST2230



Obsolete Part Numbers

February 2013

OBSOLETE PART NUMBERS

Obsolete	Replaced by
AF4745	None
MK13434	None
MK13435	None



For more information,
visit cumminsfiltration.com

MB10234
© 2013 Cummins Filtration inc.



AF27954

Description: Cabin Air Filter

Date in stock: March 2013

Main application: JOHN DEERE RE198488



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	389	mm	or	15.31	in
Width	125	mm	or	4.921	in
Height	30	mm	or	1.181	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.349	kg	Vol	1.769 dm ³
Length	389	Width	130	Height	35	

CROSS-REFERENCES

JOHN DEERE RE198488
MANN&HUMMEL CU3939

APPLICATIONS

JOHN DEERE Tractors (2008-) 5E-Series 5083E/5093E/5101E equipped with John Deere 4.5L engine.

JOHN DEERE Tractors (2009-) 5M-Serie 5065M/5070M/5080M/5090M/5100M equipped with PowerTech M Tier IIIA engine.

JOHN DEERE Tractors 5R-Serie 5080R/5090R/5100R equipped with PowerTech engine.

JOHN DEERE Tractors 5000-Serie 5225/5325/5425/5525/5620/5625/5720/5820.

JOHN DEERE Tractors (2005-) 5025-Series 5225/5325/5425/5525 equipped with John Deere 3.1L and PowerTech engines.



AF27956

Description: Air Filter, Secondary

Date in stock: March 2013

Main application: JOHN DEERE AL174812



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	364	mm	or	14.33	in
OD	101	mm	or	3.976	in
ID	40	mm	or	1.574	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.30	kg	Vol	6.74 dm³
Length	399	Width	130		Height	130

CROSS-REFERENCES

JOHN DEERE AL174812
JURA FILTRATION SA17427
LINDE 000983009
MANN&HUMMEL CF450
NEW HOLLAND 84187429

APPLICATIONS

JOHN DEERE Tractors (2009-) 5070M/5080M/5090M/5100M equipped with PowerTech M Tier IIIA engine.

JOHN DEERE Tractors (2008-) 5080R/5090R/5100R equipped with PowerTech engine.

LINDE Forklifts H50/H60/H70/H80-Series.

Fleetguard®



AF55737

Description: Cabin Air Filter

Date in stock: March 2013

Main application: FENDT H716810130010



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	472	mm	or	18.58	in
Width	123	mm	or	4.842	in
Height	57	mm	or	2.244	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.30	kg	Vol	3.165 dm³
Length	469	Width	135	Height	50	

CROSS-REFERENCES

DEUTZ 4307641 & 4336385
FAHR 1212336031300 & 1212336045400
FENDT H716810130010
HENGST E622L
JOHN DEERE L58629
JURA FILTRATION SC17814

MANN&HUMMEL C48140
MAHLE LA66

APPLICATIONS

DEUTZ-FAHR Tractors Agrocompact Serie (1987-), D07C-Serie (1982-1985), DX 3-Serie (1986-), DX 4-Serie, DX 6-Serie (1986-), DX 7-Serie (1986-), DX 8-Serie (1986-), DX Serie (-1986), M1300 Serie, M1600 Serie, M2000 Serie, M35 & M36 Series.

FENDT Tractors Favorit 700/700 Vario Series I & II equipped with Deutz BF6M2013/C and TCD2012 L6 4V engines.

FENDT Tractors Favorit 800/800 Vario (2002-) equipped with BF6M2013 engines.

FENDT Tractors 400 Vario Serie equipped with Deutz BF4M2013E/C and TCD2012 L04 4V engines.

Please visit www.cumminsfiltration.com for additional information.

Fleetguard®



HF35511

Description: Hydraulic Filter, Cartridge

Date in stock: March 2013

Main application: HITACHI 4448401



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	526	mm	or	20.70	in
OD	112	mm	or	4.409	in
ID	57	mm	or	2.244	in

PACKAGING *in mm*

Quantity per box	1	Weight	1.49	kg	Vol	6.40 dm³
Length	110	Width	110		Height	529

CROSS-REFERENCES

DONALDSON P502269
FIAT 76614827
HITACHI 4443596 & 4448401

APPLICATIONS

Hitachi Excavators ZX110-Serie, ZX120-Serie, ZX130-Serie, ZX140-Serie, ZX160-Serie, ZX170-Serie, ZX180-Serie, ZX70-Serie, ZX80-Serie & ZX85-Serie.



Catalogue corrections

March 2013

OEM	Cross Reference	Incorrect P/N	Correct P/N
NEW HOLLAND	1930710	HF6118	LF509N
BUKH	610D0201	FF5046	None
SANDVIK	912023600	AF26207	None
SANDVIK	912023700	AF26208	None
ISUZU	8971482701	LF3854	None

Fleetguard®



Obsolete Part Numbers

March 2013

OBSOLETE PART NUMBERS

Obsolete	Replaced by
3835603	None



For more information,
visit cumminsfiltration.com

© 2013 Cummins Filtration inc.

Fleetguard®



AF1001

Description: Air Filter

Date in stock: April 2013

Main application: SCANIA 1869992



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	526	mm	or	20.70	in
OD	305	mm	or	12.00	in
ID	167	mm	or	6.574	in

PACKAGING *in mm*

Quantity per box	1	Weight	4.99	kg	Vol	53.83 dm ³
Length	319	Width	319		Height	529

CROSS-REFERENCES

HENGST E1033L
JURA FILTRATION SA16713
SCANIA 1869992 & 1869994

APPLICATIONS

SCANIA Trucks 4-Series, G/P/R & T Series
SCANIA Industrial Engines DC16.
SCANIA Marine Engines : DI12 & DI14-Series, DSI11 & DSI14M-Series.

Fleetguard®



AF27946

Description: Cabin Air Filter

Date in stock: April 2013

Main application: CASE NEW HOLLAND 87726675



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	550	mm	or	21.65	in
Width	100	mm	or	3.937	in
Height	64	mm	or	2.519	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.4	kg	Vol	6.05 dm³
Length	570	Width	125	Height	85	

CROSS-REFERENCES

BALDWIN PA5396
CASE NEW HOLLAND 87726675, 82034665, 82034664 & 82022328
HENGST E1983LI
JURA FILTRATION SC90127

APPLICATIONS

CASE-IH Tractors PUMA-Serie : 115/125/140/155/165/180/195/210/225.
NEW HOLLAND Tractors T6000/T7000-Series
NEW HOLLAND Tractors TSA-Serie : TS100A/TS110A/TS115A/TS125A/TS130A & TS135A.

Fleetguard®



AF55735

Description: Cabin Air Filter

Date in stock: April 2013

Main application: MERCEDES-BENZ A9068300218



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	365	mm	or	14.37	in
Width	244	mm	or	9.606	in
Height	35	mm	or	1.377	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.30	kg	Vol	4.24 dm³
Length	400	Width	265		Height	40

CROSS-REFERENCES

AIRMATIC IF0151
COOPERSFIAAM PC8199
CORTECO 80000614
DONALDSON P787452
FILTRON K1288
FRAM CF10436
HENGST E2916LI

JURA FILTRATION SC5102
LUBERFINER CAF1847P
MAHLE LA307
MANN&HUMMEL CU3569
PURFLUX AH268
VOLKSWAGEN 2E0819638

APPLICATIONS

EVOBUS Sprinter Mobility/City/Transfer/Travel (2006-) 23/33/34/35/45/55/65 equipped with Mercedes-Benz OM646LA engine.

EVOBUS Sprinter Mobility/City/Transfer/Travel (2010-) 35/45/55/65/77 equipped with Mercedes-Benz OM651LA Euro5/EEV engine.

Mercedes-Benz Sprinter II models equipped with Mercedes-Benz OM646LA/OM651LA/OM642LA/M272E35/M271.951 engines.

Volkswagen Crafter 30/35/50 (2006-) 2.0 TDI & 2.5 TDI.

Fleetguard®



AF55739

Description: Cabin Air Filter

Date in stock: April 2013

Main application: IRISBUS 5801321121



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	419	mm	or	16.49	in
Width	100	mm	or	3.93	in
Height	20	mm	or	0.78	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.1	kg	Vol	1.257 dm³
Length	419	Width	150	Height	20	

CROSS-REFERENCES

AIRMATIC IF0575 & IF575
CORTECO 80001182
IRISBUS 5801295481
IVECO 5006175605 & 503138528 & 5801321121
JURA FILTRATION SC70069
MANN&HUMMEL CU42001

APPLICATIONS

IRISBUS Busses GX-Serie : GX327 (2005-) equipped with Cursor 8 engine, GX327 Hybride (2010-) equipped with Tector 6 Euro 5/EEV engine, GX427 (2007-) equipped with Cursor 8 Euro 4/5/EEV engine, GX427 Hybride (2010-) equipped with Tector 6 Euro 5/EEV engine.
IRISBUS Busses Agora (2002-2006) equipped with Cursor 8 engine, Agora CNG (2003-2006) equipped with Cursor 8 engine, Citélis 10,5/12/18 equipped with Cursor 8 engine, Hybrid 12 equipped with Tector 6 Euro 5/EEV engine, City Bus E3 (2003) equipped with Cursor 8 F2B Euro3, City Class (2002-) Bus 10,8/12/18 equipped with Cursor 8, Crealis Bus (2008-) 12 CNG/18 CNG/12/18 equipped with Cursor 8 (F2B) CNG and Euro4/5/EEV engines.

Fleetguard®



HF35514

Description: Hydraulic Filter

Date in stock: April 2013

Main application: CATERPILLAR 2226713



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	240	mm	or	9.44	in
OD	97	mm	or	3.81	in

Thread **3/8-12UNF-2B**

PACKAGING *in mm*

Quantity per box	1	Weight	1.49	kg	Vol	2.59 dm³
Length	100	Width	100		Height	259

CROSS-REFERENCES

BALDWIN BT9433
CATERPILLAR 2226713
DONALDSON P573301
WIX 57713

APPLICATIONS

Caterpillar Wheel Dozers 834H, 844H, 854G, 854K, 988H, 990 II, 990H, 992G, 992K and 993K.

Fleetguard®



Catalogue corrections

April 2013

OEM

HILCO

AGCO

ISUZU

Cross Reference

PL71810

72118856

8971482701

Incorrect P/N

HF6063

LF3490

LF3854

Correct P/N

None

LF3708

LF3807



Obsolete Part Numbers

April 2013

OBSOLETE PART NUMBERS

Obsolete	Replaced by
CC2905	None
FF239	None



For more information,
visit cumminsfiltration.com
MB10235

© 2013 Cummins Filtration inc.



AF27913

Description: Cabin Air Filter

Date in stock: May 2013

Main application: CASE NEW HOLLAND
84807659



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	106.5	mm	or	4.192	in
OD	276.6/286	mm	or	10.88/11.25	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.99	kg	Vol	10.23 dm³
Length	305	Width	305		Height	110

CROSS-REFERENCES

CASE NEW HOLLAND 84807659
JURA FILTRATION SC90176
MANN&HUMMEL CU29154

APPLICATIONS

NEW HOLLAND Combines CS-Series : CS520/CS540/CS640/CS660.
NEW HOLLAND Combines CX-Series : CX5080/CX5090/CX6080/CX6090.
NEW HOLLAND Combines CS6000-Series : CS6050/CS6060/CS6070/CS6080.
NEW HOLLAND Combines CSX7000-Series : CSX7050/CSX7060/CSX7070/CSX7080.
NEW HOLLAND Combines FR9000-Series : FR9000/FR9040/FR9050/FR9060/FR9080/FR9090.



AF27951

Description: Cabin Air Filter, Active Carbon

Date in stock: May 2013

Main application: MERCEDES-BENZ 0008301518



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	428	mm	or	16.85	in
Width	157	mm	or	6.181	in
Height	37	mm	or	1.456	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.49	kg	Vol	3.35 dm³
Length	439	Width	170	Height	45	

CROSS-REFERENCES

COOPERSFIAAM PCK8074
DONALDSON P787391
FIAAM PCK8074
FILTRON K1050A
FRAM CFA8850
HENGST E930LC

JURA FILTRATION SC50018CA
LAUTRETTE EKR7520
MAHLE LAK577
MERCEDES-BENZ (A)0008301518
TECNOCAR EC506
VALEO 716013

APPLICATIONS

MERCEDES-BENZ Trucks ACTROS I & II equipped with MERCEDES-BENZ engines OM541LA/OM501LA/OM542LA/OM502LA.

Please visit www.cumminsfiltration.com for detailed information.



FF5799

Description: Fuel Filter

Date in stock: May 2013

Main application: VOLKSWAGEN 06V201511



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	163	mm	or	6.417	in
OD	76.4	mm	or	3.007	in
Thread.....	M16X1.5-6H INT				

PACKAGING *in mm*

Quantity per box	12	Weight	0.49	kg	Vol	16.32 dm³
Length	325	Width	245		Height	205

CROSS-REFERENCES

VOLKSWAGEN 06V201511
MAHLE KC70/5
KNECHT KH1

APPLICATIONS

VOLKSWAGEN Marine Engines TDI-165-5 & TDI-100-5SE.
VOLKSWAGEN Marine Engines 4, 5 & 6 cylinders.

Fleetguard®



HF35517

Description: Hydraulic, cartridge

Date in stock: May 2013

Main application: CASE NEW HOLLAND 47127431



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	263	mm	or	10.354	in
OD	93	mm	or	3.661	in
ID	48.5	mm	or	1.909	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.69	kg	Vol	3.84 dm³
Length	105	Width	105	Height	349	

CROSS-REFERENCES

CASE-IH 47131183
CASE NEW HOLLAND 47127431
DONALDSON P763415
JURA FILTRATION SH66175
MANN&HUMMEL HD1053

NEW HOLLAND 47131183, 5198414 & 84226260
STEYR 47131184

APPLICATIONS

CASE-IH Tractors Maxxum MX-Serie : MXM120, MXM130, MXM140, MXM155, MXM175, MXM190; MXU100, MXU110, MXU115, MXU125, MXU130 & MXU135.
CASE-IH Tractors PUMA-Serie : 165/165 Multicontroller, 180/180 Multicontroller, 195/195 Multicontroller, 210/210 Multicontroller.
CASE-STEYR Tractors PROFI-Serie : 4110/4120/4130/6115 & 6140.
NEW HOLLAND Tractors TM-Serie : TM175 & TM190; TS-A Plus-Serie : TS100A, TS110A, TS125A. TS135A: TS-Serie: T6000 & T7000 Series.

Fleetguard®



LF17498

Description: Lube Filter
Date in stock: May 2013
Main application: VOLVO PENTA
3582732



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	209	mm	or	8.228	in
OD	93.5	mm	or	3.681	in
Thread.....	1-12 UNF-2B				

PACKAGING *in mm*

Quantity per box	12	Weight	0.73	kg	Vol	28.31 dm ³
Length	395	Width	305	Height	235	

CROSS-REFERENCES

VOLVO PENTA 3582732
JURA FILTRATION SO11093

APPLICATIONS

VOLVO PENTA Marine Engines D4 and D6 Series.



Catalogue corrections

May 2013

OEM	Cross Reference	Incorrect P/N	Correct P/N
SCANIA	2077885	LF3730	None
SCANIA	2059778	LF3730	None
MANN&HUMMEL	W11102/37	LF3730	None
JENBACHER	408965	LF3730	None
KUBOTA	6C06099410	AF26161	None
UFI	2761200	AF26161	None
DONALDSON	P601437	AF25524	None
WIX	49437	AF25524	None
BALDWIN	RS5395FN	AF25524	None
BALDWIN	BF9887	FF5147	FF253
YANMAR	11980255801	FF5147	FF253
JOHN DEERE	MIU800645	FF5147	FF253
DONALDSON	P902310	AF27843	AF26286



Obsolete Part Numbers

May 2013

OBSOLETE PART NUMBERS

Obsolete	Replaced by
147669S	None
3896712	SP1043
3946995S	None
AF1654	None
LF16244	LF17506



For more information,
visit cumminsfiltration.com
MB10238
© 2013 Cummins Filtration inc.

Fleetguard®



AF27955

Description: Air Filter, Primary

Primary Air Filter used with Secondary AF27956

Date in stock: June 2013

Main application: JOHN DEERE AL204809



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	367	mm	or	14.448	in
OD	188	mm	or	7.401	in
ID	104	mm	or	4.094	in

PACKAGING *in mm*

Quantity per box	1	Weight	1.99	kg	Vol	17.15 dm³
Length	389	Width	210	Height	210	

CROSS-REFERENCES

CASEIH 84187405
JOHN DEERE AL174811 & AL204809
JURA FILTRATION SA17426
LINDE 000983008
MANN&HUMMEL C19450
MANITOU 907330

APPLICATIONS

JOHN DEERE Tractors (2009-) 5M-Series equipped with PowerTech M Tier IIIA engine.
JOHN DEERE Tractors (2008-) 5RN & 5R-Series.
LINDE Forklifts H50/H60/H70/H80 BR396-Series.



Obsolete Part Numbers

June 2013

OBSOLETE PART NUMBERS

Obsolete	Replaced by
3922052	FF5289
AA2909	None
AF4076	None
AF4547	None
FH21077	FH21076



For more information,
visit cumminsfiltration.com
MB10240
© 2013 Cummins Filtration inc.



Catalogue corrections

June 2013

OEM	Cross Reference	Incorrect P/N	Correct P/N
HYUNDAI	3194545000	FF5159	None



FS1094

Description: Fuel Water Separator Filter

Date in stock: August 2013

Main application: DEUTZ 02113831



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	270	mm	or	10.62	in
OD	111.5	mm	or	4.389	in
Thread	M12x1.5-6H				

PACKAGING *in mm*

Quantity per box	6	Weight	0.83	kg	Vol	18.77 dm³
Length	355	Width	230	Height	230	

CROSS-REFERENCES

DEUTZ 02113831
JURA FILTRATION SN70364
MERLO 075856

APPLICATIONS

DEUTZ Engines TCD2012L04 & TCD2012L06.
MERLO Handler P34.7EE.

Fleetguard®



FS1095

Description: Fuel Water Separator Filter

Date in stock: July 2013

Main application: DEUTZ 04504438



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	186	mm	or	7.322	in
OD	111.5	mm	or	4.389	in
Thread	1-14UNS				

PACKAGING *in mm*

Quantity per box	6	Weight	0.83	kg	Vol	16.43 dm³
Length	355	Width	235		Height	197

CROSS-REFERENCES

ATLAS WEYHAUSEN 6143202
DEUTZ 04504438
JURA FILTRATION SN70366
MANN&HUMMEL PL271/1
SENNEBOGEN 147645
WIRTGEN 2175352

APPLICATIONS

DEUTZ Engines TCD2012L04 & TCD2012L06.
DEUTZ Engines TCD6.1L06.

Fleetguard®



HF35520

Description: Hydraulic Filter

Date in stock: July 2013

Main application: HYUNDAI 31N4-01460



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	450	mm	or	17.716	in
OD	149.5	mm	or	5.885	in
ID	84.5	mm	or	3.326	in

PACKAGING *in mm*

Quantity per box	1	Weight	3.69	kg	Vol	12,26dm³
Length	479	Width	160	Height	160	

CROSS-REFERENCES

HYUNDAI 31N4-01460
JURA FITRATION SH60012

APPLICATIONS

HYUNDAI Excavators ROBEX-Series : R140LC-7A/R140LCD-7A/R140W-7A/R160LC-7A/R160LCD-7A/R170W-7A/R180LC-7A/R180LCD-7A/R200W-7A/R210LC-7A/R210NLC-7A/R250LC-7A/R250NLC-7A & R800LC-7A.



HF35525

Description: Hydraulic Filter

Date in stock: August 2013

Main application: HITACHI 4666083



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	114	mm	or	4.488	in
OD	42.5	mm	or	1.673	in
ID	22.5	mm	or	0.885	in

PACKAGING *in mm*

Quantity per box	12	Weight	0.1	kg	Vol	3.9 dm³
Length	200	Width	150		Height	130

CROSS-REFERENCES

HITACHI 4666083 & 4488239
JURA FILTRATION SH60242
KOBELCO PXE3300A007A

APPLICATIONS

HITACHI Excavators ZX-Series : ZX130W/ZX140W-3/ZX145W-3/ZX160W/ZX170W-3/ZX180W/ZX190W-3/ZX210W & ZX210W-3.



LF17509

Description: Lube Filter

Date in stock: August 2013

Main application: CASE 87679496



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	95	mm	or	3.74	in
OD	96	mm	or	3.77	in
Thread.....	M27x2				

PACKAGING *in mm*

Quantity per box	12	Weight	0.62	kg	Vol	11.15 dm³
Length	386	Width	289		Height	100

CROSS-REFERENCES

BALDWIN B7499
CASE 87679496
JURA FILTRATION SO10106
NEW HOLLAND 504182851
NEW HOLLAND 87679598
NEW HOLLAND 87679494

APPLICATIONS

CASE Loaders/Skidders 420/420CT/430/435/445/445CT/586H/588H/SR200/SR220/SR250/SV250/SV300/TR270/TR320/TV380.
CASE-IH Tractors FARMALL 65A/65C/70/75A/75C/75N/80.
CASE-IH Tractors QUANTUM 65C/65V/75C/75N/75V/85N/85V.
NEW HOLLAND Tractor WORKMASTER 65.



Catalogue corrections

August 2013

OEM	Cross Reference	Incorrect P/N	Correct P/N
FG Wilson	901017	AF361	None
CLAAS	6005028849	LF4056	LF17488
YANMAR	12915035153	LF3657	LF3996
NEW HOLLAND	86525899	HF6684	None
MERCEDES	A0010923201	FF5373	FF5112
BOSCH	986B03010	AF27857	None
M&H	C21470	AF25997	None
FORD	BG1X9601AA	AF25997	None
FRAM	CA9369	AF25997	None



Obsolete Part Numbers

August 2013

OBSOLETE PART NUMBERS

Obsolete	Replaced by	Obsolete	Replaced by
LF17506	LF17056	AF1926	None
LF3585	None	AF26450	None
LF3660	LF17496	AF900	None
SP1054	None	AH1151	None
3928342	SP1165		
71345A	None		



For more information,
visit cumminsfiltration.com
MB10263
© 2013 Cummins Filtration inc.

Fleetguard®



LF17502

Description: Lube filter compatible with Euro 6 oils & previous.
Is an upgrade for LF3654.

Date in stock: September 2013

Main application: Volvo 21707132, Renault Trucks 7421561284



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	264	mm	or	10.39	in
OD	108	mm	or	4.25	in
Thread Size	1 3/8-16 UN-2B				

PACKAGING *in mm*

Quantity per box	6	Weight	1.11	kg	Vol	25.41 dm ³
Length	359	Width	289	Height	245	

CROSS-REFERENCES

VOLVO 21170573 & 21707132
MACK 21707135
RENAULT TRUCKS 7421561284
NISSAN 5221170573 & 5221706532
MANN&HUMMEL WP11102/3

APPLICATIONS

Volvo Trucks 2013 Euro 6 New FM/FMX II.
Renault Trucks 2013 Euro 6 C, K and T Series.
Replaces the LF3654 on older vehicles when using Euro 6 oils.

Fleetguard®



LF17503

Description: Lube filter compatible with Euro 6 oils & previous.
Is an upgrade for LF3675.

Date in stock: September 2013

Main application: Volvo 21707133



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	264	mm	or	10.39	in
OD	110	mm	or	4.33	in
Thread Size	1 1/8-16 UN-2B				

PACKAGING *in mm*

Quantity per box	6	Weight	1.11	kg	Vol	25.41 dm ³
Length	359	Width	289		Height	245

CROSS-REFERENCES

VOLVO 21170569 & 21707133
RENAULT TRUCKS 7421561278
NISSAN 5221706577 & 5221170569
MANN&HUMMEL W11102/34

APPLICATIONS

Volvo Trucks 2013 Euro 6 New FM/FMX II.
Renault Trucks 2013 Euro 6 C, K and T Series
Replaces the LF3675 on older vehicles when using Euro 6 oils.

Fleetguard[®]



LF17505

Description: Lube filter compatible with Euro 6 oils & previous.
Is an upgrade for LF3321.

Date in stock: September 2013

Main application: Volvo 21707134



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	261	mm	or	10.27	in
OD	108	mm	or	4.25	in
Thread Size	1 1/8-16 UN-2B				

PACKAGING *in mm*

Quantity per box	6	Weight	1.11	kg	Vol	25.41 dm ³
Length	359	Width	289		Height	245

CROSS-REFERENCES

VOLVO 21707134
MANN&HUMMEL W11102/36

APPLICATIONS

Replaces the LF3321 on vehicles using Euro 6 oils.



Catalogue corrections

September 2013

OEM	Cross Reference	Incorrect P/N	Correct P/N
Volkswagen	2R0127177B	FF5485	FF5421
Ingersoll-Rand	22226369	FF5147	FF253



Obsolete Part Numbers

September 2013

OBSOLETE PART NUMBERS

Obsolete	Replaced by
AP2000	None
AP3000	None
AP4500	None
AP5000	None
HF35223	None
WF2093	None



For more information,
visit cumminsfiltration.com
MB10271
© 2013 Cummins Filtration inc.



AF27971

Description: Air Breather Filter

Date in stock: October 2013

Main application: KOMATSU 207-605-1410



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	35	mm	or	1.377	in
OD	61.5	mm	or	2.421	in
ID	23.3	mm	or	0.917	in

PACKAGING *in mm*

Quantity per box	12	Weight	0.083	kg	Vol	6.886 dm³
Length	269	Width	160	Height	160	

CROSS-REFERENCES

JURA FILTRATION SA12573

HYUNDAI 31E110380

KOMATSU 2076051410

APPLICATIONS

HYUNDAI Crawler Dozers H70/H70LGP/H80/H80LGP.

HYUNDAI Loaders HL17/HL25/HL35/HL720-3/HL730-3/HL730TM-3/HL740-3/HL740TM-3/HL750/HL750TM/HL760/HL770/HL780-3.

HYUNDAI Excavators R55-3/R55W-3/R130LC/R130LC-3/R180LC-3/R200LC/R210LC-3/R210LC-3LL/33HDLL/R250LC-3/R280LC/R290LC/R290LC-

3/42HDLL/39HDRB/R320LC/R320LC-3/R290LC-3LL/RB/R120W/R130W/R170W-3/R200W.

KOMATSU Loaders WA800-3EO/WA900-3EO equipped with SAA12V140E-3 engine.

Fleetguard®



AF55748

Description: Cabin Air Filter

Date in stock: October 2013

Main application: MERCEDES BENZ 0018351547



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	48	mm	or	1.889	in
Length	505	mm	or	19.88	in
Width	225	mm	or	8.858	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.2	kg	Vol	5.85 dm³
Length	509	Width	230	Height	50	

CROSS-REFERENCES

BALDWIN PA5648
HENGST E999LI
JURA FILTRATION SC50050
KONVEKTA H14002484
MAHLE LA357

MANN CU5096
MERCEDES-BENZ 0018351547
Bosch 1987431181

APPLICATIONS

EVOBUS Bus CAPACITY O530 GL equipped with MERCEDES-BENZ OM457HLA engine.
EVOBUS Bus CITARO O530 equipped with MERCEDES-BENZ OM457HLA / OM457LA / OM906HLA / OM906LA / OM926LA engines.
EVOBUS Bus CITARO CNG O530 equipped with M447HLAG.

Fleetguard®



HF35375

Description: Hydraulic Filter, Cartridge

Date in stock: October 2013

Main application: MANITOU 561749



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	140	mm	or	5.511	in
OD	81	mm	or	3.188	in
Thread Size	13/16"-16UN-2B				

PACKAGING *in mm*

Quantity per box	10	Weight	0.05	kg	Vol	10.05 dm³
Length	419	Width	160		Height	150

CROSS-REFERENCES

JURA FILTRATION SH70014
MANITOU 561749
MANN&HUMMEL WD724/5 & 6740358096
NEW HOLLAND 85817004

APPLICATIONS

MANITOU Forklifts ML600-Serie/MLT500-Serie/MLT600-Serie & MLT700-Serie/MT1000-Serie.
NEW HOLLAND Handlers LB & LM-Series/B & NH-Series.

Fleetguard®



HF35526

Description: Hydraulic Filter, Cartridge

Date in stock: October 2013

Main application: DOOSAN 2474-9016A



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	152	mm	or	5.984	in
OD	150	mm	or	5.905	in
ID	76.4	mm	or	3.007	in
Thread Size	M12x1.75				

PACKAGING *in mm*

Quantity per box	1	Weight	0.99	kg	Vol	5.376 dm³
Length	160	Width	160	Height	210	

CROSS-REFERENCES

BALDWIN PT9245
DOOSAN 2474-9016A
JURA FILTRATION SH60081
Woodgate WGH1864

APPLICATIONS

DOOSAN Excavators DH-Series, DL-Series, SOLAR-Series, DX-Series and SOLAR-Series.

DOOSAN Loaders MEGA-Series.

Fleetguard®



HF35529

Description: Hydraulic Filter, Cartridge

Date in stock: October 2013

Main application: KOMATSU 42N-62-15470



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	230	mm	or	9.055	in
OD	106	mm	or	4.173	in
OD	52.5	mm	or	2.066	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.69	kg	Vol	4.01 dm³
Length	120	Width	120		Height	279

CROSS-REFERENCES

ARGO V3102358
JURA FILTRATION SH52265
KOMATSU 42N-62-15470

APPLICATIONS

KOMATSU Backhoe Loaders WB93-5, WB93R-5EO, WB97R, WB97R-5, WB97S-5, WB97S-5EO.



Catalogue corrections

October 2013

OEM	Cross Reference	Incorrect P/N	Correct P/N
Donaldson	P764737	HF35305	None
Manitou	561749	HF35467	HF35375
New Holland	85817004	HF35467	HF35375
Mann&Hummel	WD724/5	HF35467	HF35375
Jura Filtration	SH70014	HF35467	HF35375
Mann&Hummel	6740358096	HF35467	HF35375
Sumitomo	KHJ17730	HF35516	None
Sumitomo	KHJ0950	HF35516	None
Case	KHJ0950	HF35516	None
MP Filtri	STR1405SG1M90	HF35165	None
Hengst	E51H	HF6098	None

Fleetguard®



Obsolete Part Numbers

October 2013

OBSOLETE PART NUMBERS

Obsolete	Replaced by
3919515	FF5824
FF63008	FF63009
LF17474	LF17511



For more information,
visit cumminsfiltration.com
MB10277
© 2013 Cummins Filtration inc.



AF27970

Description: Air Filter. Replaces the AF27834.

Date in stock: December 2013

Main application: VOLVO 21115483



ELEMENT DIMENSIONS

Height	392	mm	or	15.43	in
OD	331.5	mm	or	13.05	in
ID	199	mm	or	7.83	in

PACKAGING *in mm*

Quantity per box	1	Weight	2.99	kg	Vol	48.14 dm³
Length	335	Width	335	Height	429	

CROSS-REFERENCES

DONALDSON P951102
 HENGST E1024L
 JURA FILTRATION SA17431
 MANN&HUMMEL C331460 & C331460/1
 MECAFILTER FA3475
 SAKURA A-71400

RENAULT TRUCKS 7421243188
 VOLVO 21115483
 VOLVO 21834205
 VOLVO 21243188

APPLICATIONS

RENAULT TRUCKS Trucks T440 / T480 / T520 equipped with DT113 engines.
 VOLVO Trucks (2007-) FH420 / FH460 / FH500 & FH540 equipped with D13B/C engines.
 VOLVO Trucks (2013-) FH420 / FH460 / FH520 & FH540 equipped with D13C engines.

Fleetguard®



AF27972

Description: Air Filter

Date in stock: December 2013

Main application: DAF 1933741



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	437	mm	or	17.20	in
OD	267	mm	or	10.51	in
ID	159	mm	or	6.25	in

PACKAGING *in mm*

Quantity per box	1	Weight	2.99	kg	Vol	35.83 dm³
Length	289	Width	289		Height	429

CROSS-REFERENCES

DAF 1933741
MANN&HUMMEL C27998/5

APPLICATIONS

DAF Trucks CF75 (2006-) 250 / 310 & 360 (Euro 4/5/EEV) equipped with DAF PR183S/PR228S/PR265S engines.

Fleetguard®



AF55738

Description: Cabin Air Filter

Date in stock: December 2013

Main application: NEW HOLLAND 87712194



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	274	mm	or	10.78	in
OD	159.5	mm	or	6.27	in
ID	71.5	mm	or	2.81	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.99	kg	Vol	7.55 dm³
Length	160	Width	160	Height	295	

CROSS-REFERENCES

CASE NEW HOLLAND 76303305 & 87712194
JURA FILTRATION SC90183
SAKURA CA-45010

APPLICATIONS

CASE Loaders 721E / 821E & 921E.
NEW HOLLAND Loaders W110B / W130B / W130C / W170B / W190B / W190C / W230C & W270C.



AF55744

Description: Cabin Air Filter Activated Carbon

Date in stock: December 2013

Main application: NEW HOLLAND 87309516



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	64	mm	or	2.519	in
Length	550	mm	or	21.65	in
Width	100	mm	or	3.93	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.499	kg	Vol	4.10 dm³
Length	559	Width	105	Height	70	

CROSS-REFERENCES

JURA FILTRATION SC90127CAG
NEW HOLLAND 87309516

APPLICATIONS

CASE-IH Tractors MX MAXXUM-Series, MXU-Series & PUMA-Series.
NEW HOLLAND Tractors T7000 & TS-A Series.

Fleetguard®



Catalogue corrections

December 2013

OEM

AGCO
Komatsu
Mann&Hummel

Cross Reference

3595119M92
ND0145200290
C27998/5

Incorrect P/N

HF6003
HF35360
AF25976

Correct P/N

None
AF55736
AF27972



Obsolete Part Numbers

December 2013

OBSOLETE PART NUMBERS

Obsolete	Replaced by
3945127S	None
3945130S	None
3945134S	None
3947505S	None
3949163S	None
3949165S	None
3949166S	None
3950397S	None
AF27834	AF27970

Valley Filters

Shercock Road Industrial Estate,
Carrickmacross,
Co. Monaghan.
Ireland.

www.valleyfilters.com

Ph: (+353) 042-966-2365

Fx: (+353) 042-966-2512



For more information,
visit cumminsfiltration.com
MB10295
© 2014 Cummins Filtration inc.