

# New Product Bulletin

Europe, Russia/CIS & Middle East Parts

January 2021

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>	<u>Segment</u>
--------------------	--------------------	-------------------	-------------------	--------------------	----------------



**AF4322**

MAN Trucks TGS & TGX (2007>)

MAN 81084010036,  
81084050036  
M+H CF16002  
Hengst E1573LS  
Donaldson P957411

L: 476 mm  
ID: 133.5 mm  
OD: 154 mm

Air Filter, Secondary,  
cylindrical



**AF4337**

Nissan Atleon Trucks (2006>) (70.14/80.19/95.19)  
equipped with Cummins ISB4/5-4H

Nissan 16546-LA30A  
M+H C22526

L: 360 mm  
ID: 130 mm  
OD: 211 mm

Air Filter, Primary,  
cylindrical



Part Number	Application	Cross-ref.	Dimensions	Description	Segment
-------------	-------------	------------	------------	-------------	---------



**AF4365**

Liebherr Excavators R9100 (2010>)  
equipped with D9512 (Requires 2 pieces);  
Fendt Harvesters 6000 & 8000-Series

Liebherr 10802649  
Bomag 5821490  
John Deere AT411949  
Agco 530200090080,  
653200090060  
M+H C281460  
Hengst E1878L

L: 627,9 mm  
ID: 188,9 mm  
OD: 285 mm

Air Filter, Primary,  
cylindrical




**AF56037**

Mercedes-Benz Viano Light Trucks (639)  
& Vito II (639) (2003-)

Mercedes A6398350247,  
6398350247; M+H CU3540  
Hengst E2913LI, Mahle LA229  
Wix WP9222, Fram CF10621

H:41,5 mm  
L: 347,2 mm  
W: 205,5 mm

Cabin Air Filter



**AF56096**

Ford Tourneo Custom 2012; Transit 2014;  
Transit Custom 2012

Ford 1839688  
Ford Motor Company  
BK21-19G244-AA  
M+H CUK29007  
Hengst E3921LC  
Ufi 5426100  
Wix WP2119

Height: 30 mm  
L 289 mm  
W: 231 mm

Cabin Air filter,  
Activated Carbon



**AD27755**

Mercedes-Benz Trucks Actros II (2011>),  
Antos, Arocs, Atego III (2013>);  
Evobus Citaro 2012 (628) & Conecto II (628)

Mercedes A0004292097,  
4292097, A0004292197,  
4292197;  
M+H TB1394/8X  
Knorr-Bremse K102196  
Haldex 31005509  
Donaldson P956986

Height: 166 mm  
OD: 140 mm  
Thread: M41.0X2.0-6H

Air Dryer, Dessicant  
with Coalescer  
Media Type: Microglass  
Gasket OD: 111 mm



<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>	<u>Segment</u>
--------------------	--------------------	-------------------	-------------------	--------------------	----------------



**FF5892**

Mercedes-Benz Trucks Actros II (2011-), Antos, Arocs, Atego III (967) (2013-), Econic (1998-); Mercedes-Benz Unimog; Evobus Citaro 2012 (628), Conecto II (628), Integro II (633), Intouro II (633), Setra S400 & S500, Turismo II (632); Claas Combines Tucano 420 & 450 (2012-2014) equipped with Mercedes Benz OM936LA; Bell Dump Truck B20E (Low Ground Pressure) (2017-2018) equipped with Mercedes Benz OM934LA; Manitou Handler Telescopic (2016) MRT2550 Privilege Plus ST4 S2 equipped with Mercedes Benz OM934LA

Mercedes 9360900451, A9360900451, 9360900551 A9360900551; Claas 19961310, 19961311; Manitou 53006466 Bell DC222524 Liebherr 10873024 M+H PU30X, PU30/1X Hengst E12SD433 Filtron PK897/2 Wix WF10391

H: 85 mm  
ID: 25 mm  
OD: 33,6 mm

Fuel Filter, Cartridge



**LF17583**

Case Loaders; Case IH Tractors; FPT Industrial engines; New Holland Tractor T4-Series

New Holland 48138563, 47535939, 5802284013, 5802001312; Iveco 5801724485; Wix WL10181

H: 94,5 mm  
OD: 96 mm  
Thread: M27.0X2.0-6H

Lube Filter, Spin-On  
Gasket ID: 62.5 mm  
Gasket OD: 72 mm  
Filter Configuration: Full-Flow



Parts from other regions\* =>

Made to order products (lead time 6-8 weeks) and currently not available/ not in inventory in Europe.  
Subject to minimum order quantities (MOQ's) – pls. validate details with your Area Sales Manager.

**AF56087**

Isuzu D-MAX 1.9 DDI, 2.4, 2.5 Ddi, 2.5 Turbodiesel,  
3.0 DTiD, 3.0 Turbodiesel & 3.5 V6

Isuzu 8980084420,  
8973561270;  
M+H CU22010  
Hengst E4922LI  
Mahle LA832  
Mecafilter ELR7262

H: 20 mm  
L: 216 mm  
W: 211 mm

Cabin Air Filter



**FF63054NN**

Cummins engines ISL9, B6.7, L9

Cummins 5660774

Height: 180 mm  
OD: 102 mm  
Thread:  
M102.0X4.0-Other

Fuel Filter, Spin-On  
Gasket OD: 80.9 mm  
Gasket ID: 73.5 mm



**LF14002NN**

Cummins engine L9 (2020>)

Cummins 5520789

Height: 300 mm  
OD: 118,3 mm  
Thread:  
2 1/4X12.0 UN-2B

Lube Filter, Spin-On  
Gasket ID: 101.8 mm  
Gasket OD: 118.9 mm



# Replaced and/or obsoleted parts

Part number	Replacement PN
AF1898KM	No replacement
AF1919	No replacement
AF25900	No replacement
AF26469	No replacement
AF371	No replacement
AF4047	No replacement
AF4611K	No replacement
AF4834	No replacement
AF4862	No replacement
AF887KM	No replacement
AH19073	No replacement
AS2214	No replacement
AS2226	No replacement
AS2269	No replacement
AS2292	No replacement
AS2295	No replacement
AS2298	No replacement
AS2329	No replacement
AS2334	No replacement
AS2338	No replacement
AS2349	No replacement

Part number	Replacement PN
AS2357	No replacement
AS2358	No replacement
AS2372	No replacement
AS2381	No replacement
CC2891	No replacement
FF5408	No replacement
HF30034	No replacement
HF30251	No replacement
HF35000	HF35541
HF7464	No replacement
HF7730	No replacement
HF7732	No replacement
HF7790	No replacement
HF7791	No replacement
HF7792	No replacement
HF7793	No replacement
AF1727	No replacement
AF26182	No replacement
95350A	No replacement
MK14471	MK14571